

Fridge Operation Manual

Model: PG-40A Can Cooler



***This is a drinks fridge, not to be used for preservation of fresh foods**

Bar Fridge Basic Instructions

Model: PG-40A

About the Product

Unit is a simple can shaped drinks fridge, designed for ease of access and to be prominent in area's to promote branding of products etc.

Set up

- After unpacking dispose of rubbish sensibly
- When moving the fridge avoid hard jolts and bumps
- Upon setting up fridge into your position ensure it is square and level, use castor with lock to secure the position required
- Do not position near sources of heat, like ovens and dishwashers
- Do not position in direct sunlight
- Do not move or tilt while in operation
- Allow as much ventilation wherever and whenever you can, the more ventilation the more economical the fridge will run and the longer the compressor life you will get
- Ensure your electrical lead hasn't been damaged, if you see any fault or cut in the power lead refer to electrician before plugging in
- Once in position allow 30minutes and turn "ON"

Safety

- Do not pull plug directly from socket without turning 'OFF' first
- Do not try to access unit electrics unless authorized to do so and unless unit is "OFF" and "UNPLUGGED"
- Do not have items near unit that could be damaged by heat.
- Do not rest heavy items (including the fridge) on the electrical lead

***Queensland** installation/servicing requirement: Needs a Gas Repair Job (hydrocarbon refrigerants) if the appliance gas system is being opened or charged. *An approved operator is needed.




Not to be used for preservation of Fresh Foods, this is a drinks fridge.

Specifications

Model	PG-40A
Size	460mm x460mm x 790mmH
Color	White
Climatic class	ST (Sub Tropical)
Storage Temperature (°C)	2>10 (38oC Ambient)
Anti-shock protection class	I
Capacity (L)	40
Rated Voltage (V)	AC220/240V
Rated Frequency (Hz)	50/60Hz
Watts	70
Ip Rating for Water Ingress	X0
Power consumption:(KWh/24h)	0.78
Refrigerant/Charging (g)	R600a/16g

Electrical Diagram



Storage inside the cabinet

- It is not recommended to store blood, food or special pharmaceuticals in the fridge that require low and stable temperatures
- Products can go into unit in any position, it's designed to 'tumble' load

Trouble Shooting / Basic Info

There are basic things you need to look and check before trying to initiate a technician call out for warranty circumstances.

Noise

If your unit has become noisy, please check the following;

- Can you ascertain exactly where the noise is coming from? It may be a loose screw or part of the fridge that is now vibrating and is easy to fix.
- Is the compressor / fridge level, a compressor not level can make a 'clunking' noise on start-up and shut down.
- Does the fan sound noisy? It may be as simple as needing slight adjustment.

Not Cooling

So all of a sudden unit has stopped cooling.

- Does the compressor run? Make sure compressor is running, if it is running, thermostat is on full (7), and you have a warm fridge then there is a gas problem and technician will be needed.
- Have you got the thermostat set correct? Or has it been altered, remember the higher the number you set this on the colder the fridge will be.
- Is your door sealing properly, check all the way around door seal to make sure it is seating correct on top of fridge body, as it is made to be in ONE position.

Freezing Product.

- The units are not freezers but there is a possibility of freezing drinks, especially if unit is set on the highest setting of 7.
- If you are experiencing rapid ice buildup inside rear unit the thermostat is likely to be faulty or you have gas problem, technician is needed.

WARRANTY - Contact – PH: 1300 376849 with your Serial Number, and Fridge Model details for warranty queries. *Email is preferred at service@bar-fridges-australia.com.au

Maintenance

- Clean inside unit every 6 months as water parts and food can cause mold and bacteria may form, Bi carbonate soda works well.
- Clean underneath unit periodically and check for rodents.